

NCBI Sequence Viewer

Exhibit 1

The image shows the NCBI Nucleotide sequence viewer interface. At the top, there's a search bar with 'Nucleotide' selected. Below it, there are tabs for 'PubMed', 'Nucleotide', 'Protein', 'Genome', 'Structure', 'PopSet', 'Taxonomy', 'OMIM', and 'Bio'. The 'Nucleotide' tab is active, showing a DNA sequence: 'CGTCAGGATG...'. Below the sequence, there are buttons for 'Search', 'Nucleotide', 'Protein', 'Genome', 'Structure', 'PopSet', 'Taxonomy', 'OMIM', and 'Bio'. There are also buttons for 'default', 'Save', 'Text', 'Add to clipboard', 'History', 'Clipboard', and 'Database'.

☐ 1: NM_001400 Homo sapiens endo...
[gi:13027635]

Related Sequences, OMIM, Protein, PubMed, Taxonomy,
UniSTS, LinkOut

LOCUS NM_001400 2753 bp mRNA linear PRI 16-FEB-2001
DEFINITION Homo sapiens endothelial differentiation, sphingolipid
G protein-coupled receptor, 1 (EDG1), mRNA.
ACCESSION NM_001400
VERSION NM_001400.2 GI:13027635
KEYWORDS
SOURCE human.

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 2753)
AUTHORS H.A.T. and Maciag, T.
TITLE An abundant transcript induced in differentiating human endothelial
cells encodes a polypeptide with structural similarities to
G protein-coupled receptors

J Biol. Chem. 265 (16), 9308-9313 (1990)
J MEDLINE 91264425
REFERENCE 2 (bases 1 to 2753)
AUTHORS A.S., Bleu, T., Huang, W., Hallmark, O.G., Coughlin, S.R. and
Goetzl, E.J.
TITLE Identification of cDNAs encoding two G protein-coupled receptors
for lysosphingolipids

J Biol. Chem. 272 (1), 1-10 (1997)
J MEDLINE 91072391
REFERENCE 3 (bases 1 to 2753)
AUTHORS Lee, M.J., Van Brocklyn, J.R., Thangada, S., Liu, C.H., Hand, A.R.,
Manzeleev, R., Spiegel, S. and Hla, T.
TITLE Sphingosine-1-phosphate as a ligand for the G protein-coupled
receptor EDG-1

J Biol. Chem. 273 (10), 1552-1555 (1998)
J MEDLINE 91155258
COMMENT REVIEWED REFSEQ: This record has been curated by NCBI staff. The
reference sequence was derived from AF233365.1, M31210.1.
On Feb 21, 2001 this sequence version replaced gi:4503454.

Summary: The protein encoded by this gene is structurally similar
to G protein-coupled receptors and is highly expressed in
endothelial cells. It binds the ligand sphingosine-1-phosphate
with high affinity and high specificity, and suggested to be
involved in the processes that regulate the differentiation of
endothelial cells. Activation of this receptor induces cell-cell
adhesion.

COMPLETENESS: complete on the 3' end.

FEATURES
source
Location/Qualifiers
1..2753
/organism="Homo sapiens"
/db_xref="taxon:9606"

NCBI Sequence Viewer

gene /chromosome="1"
/map="1p21"
1..2753
/gene="EDG1"
/note="ECGF1; CHEDG1"
/db_xref="LocusID:1901"
/db_xref="MIM:601974"
CDS 244..1392
/gene="EDG1"
/note="edg-1; sphingosine 1-phosphate receptor EDG1"
/codon_start=1
/db_xref="LocusID:1901"
/db_xref="MIM:601974"
/product="endothelial differentiation, sphingolipid
G-protein-coupled receptor, 1"
/protein_id="NP_001391.2"
/db_xref="GI:13027636"
/translation="MGPTSVPLVKAHRSSVSDYVNYDIIVRHYNYTGKLNISADKENS
IKLTSVVFILICCFIILENIFVLLTIWTKKFKHRPMYFIGNLALSDLLAGVAYTANL
LLSGATTYKLTAPQWFLREGSMFVALSASVFSLLATAIERYITMLKMKLHNGSNNFRL
FLISACWVISLILGGLPIMGWNCISALSSCSTVLPYHKHYILFCTTVFTLLLSIV
ILYCRIYSLVTRSRRLTFRKNISKASRSSEKSLALLKTVIIVLSVFIACWAPLFIIL
LLDVGCKVKTCILFRAEYFLVLAVLNSGTNP I IYTLTKEMRRAFIRIMSCCKCPSG
DSAGKFKRP I IAGMEFSRSKSDNSSHPQKDEGDNPETIMSSGNVNSSS"
misc feature 427..999
/note="7tm_1; Region: 7 transmembrane receptor (rhodopsin
family)"
misc feature 937..1176
/note="7tm_1; Region: 7 transmembrane receptor (rhodopsin
family)"
variation 2313
/allele="C"
/allele="G"
/db_xref="dbSNP:1056840"
polyA signal 2587..2592
polyA signal 2733..2738
BASE COUNT 668 a 707 c 619 g 759 t
ORIGIN
1 gtc jggggca gcagcaagat gcgaagcgag ccgtacagat cccgggctct ccgaacgcaa
61 ctt jgccctg cttgagcgag gctgcgggtt ccgaggccct ctccagccaa ggaaaagc
121 caccaaaagc ctggatcact caccgaacca cccctgaagc cagtgaaggc tctctcgct
181 cgc jctctag cgctcgctg gagtagcgcc accccggctt cctggggaca cagggttgcc
241 accatggggc ccaccagcgt cccgctggtc aaggcccacc gcagctcggt ctctgactac
301 gtc iactatg atatcatcgt ccggcattac aactacacgg gaaagctgaa tatcagcgcg
361 gac iaggaga acagcattaa actgacctcg gtgggtgttca ttctcatctg ctgctttatc
421 atc itggaga acatctttgt cttgctgacc atttggaata ccaagaaatt ccaccgaccc
481 atg iactatt ttattggcaa tctggccctc tcagacctgt tggcaggagt agcctacaca
541 gct iacctgc tcttgtctgg ggccaccacc tacaagctca ctcccgccca gtgggtttctg
601 cgg jaaggga gtatgtttgt ggccctgtca gcctccgtgt tcagtctcct cgccatcgcc
661 att jagcgct atatcacaat gctgaaaatg aaactccaca acgggagcaa taacttcgc
721 ctc itcctgc taatcagcgc ctgctgggtc atctccctca cctgggtgg cctgctatc
781 atg jgctgga actgcatcag tgcgctgtcc agctgctcca ccgtgctgcc gctctaccac
841 aag iactata tctcttctg caccacggtc ttactctgc ttctgctctc catcgctatt
901 ctg iactgca gaatctactc cttggtcagg actcggagcc gccgctgac gttccgcaag
961 aac atttcca aggccagccg cagctctgag aagtcgctgg cgctgctcaa gaccgtaatt
1021 atc itcctga gcgtcttcat cgctgctgg gcaccgctct tcactcctgt cctgctggat
1081 gtg jgctgca aggtgaagac ctgtgacatc ctcttcagag cggagtactt cctggtgtta
1141 gct jtgtcga actccggcac caaccccatc atttacactc tgaccaacaa ggagatgcgt
1201 cgg jcttca tccggatcat gtccgtgtgc aagtgcctga gcggagactc tgctggcaaa
1261 ttc aagcgac ccacatcgc cggcatggaa ttcagccgca gcaaatcgga caattcctcc

initiation
codonGoetzl
Primer 1
to EDG-1

NCBI Sequence Viewer

```
1321 caccgccaga aagacgaagg ggacaaccca gagaccatta tgtcttcttg aaacgtcaac
1381 tcttcttctt agaactggaa gctgtccacc caccggaagc gctctttact tggcgcctgg
1441 ccaccccgag gtttggaata aaatctcttg gcttcgactg ctgccaggga ggagctgctg
1501 caacccagag ggaggaaggg ggagaatacg aacagcctgg tgggtgcggg tgttggtggg
1561 tagagttagt tcctgtgaac aatgcactgg gaaggggtgg gatcaggtcc cggcctggaa
1621 tatattttct acccccttgg agcttttgatt ttgcactgag ccaaaggtct agcattgtca
1681 agtccttaaa ggggttcattt ggccctctct caaagactaa tgtcccatg tgaaagcgtc
1741 tcttctgtct gagcttttgag gagatgtttt ctttcacttt agtttcaaac ccaagttagt
1801 gtgtgcactt ctgcttcttt agggatgccc tgtacatccc acacccacc ctcccttccc
1861 ttctaccccc tcctcaacgt tcttttactt tatactttaa ctacctgaga gttatcagag
1921 ctggggttgt ggaatgatcg atcatctata gcaaataagg tatgttgagt acgtaggctg
1981 tgggaagatg aagatgggtt ggaggtgtaa aacaatgtcc ttcgctgagg ccaaagtttc
2041 catctaaagc ggatccgttt ttggaattt gggtgaagtc actttgattt ctttaaaaaa
2101 catcttttca atgaaatgtg ttaccatttc atatccattg aagccgaaat ctgcataagg
2161 aagccactt tatctaaatg atattagcca ggatccttgg tgccttagga gaaacagaca
2221 agc:aaacaa agtgaaaacc gaatggatta acttttgcaa accaaggagg atttcttagc
2281 aaatgagctt aacaaatag acatccgtct ttcccacttt tgttgatgtt tatttcagaa
2341 tcttggtgta ttcatttcaa gcaacaacat gttgtatttt gttgtgttaa aagtactttt
2401 cttgattttt gaatgtattt gtttcaggaa gaagtcattt tatggatttt tctaaccogt
2461 gtttactttt ctagaatcca cctcttcttg cccttaagca ttactttaac tggtagggaa
2521 cgc:agaact ttttaagtcca gctattcatt agatagtaat tgaagatatg tataaatatt
2581 acanagaata aaaatatatt actgtctctt tagtatggtt ttcagtcaa ttaaaccgag
2641 agatgtcttg tttttttaa aagaatagta ttaaatagg tctgacttt tgtggatcat
2701 ttttcacata gctttatcaa cttttaaaca ttaataaact gattttttta aag
```

//

Revised: October 24, 2001.

Disclaimer | Write to the Help Desk
NCBI | NLM | NIH